

## TECHNICAL DATA SHEET

Order reference	AW1818-2
Article number	813793

<b>Date</b> 6-30-06 <b>Replaces</b> 3-19-01 <b>No. Pages</b> 1	_			1		1	1
		Date	6-30-06	Replaces		NO. Pages	1

## **Product Description:**

I Toudet Description.				
Style	Pillow"Lint-Free"			
Item Size (each)	(each) 43 cm x 48 cm x 5 cm			
Color	White with black logo printing (inner fill is predominately gray)			
Composition	Polypropylene >98%, Surfactant < 1.0%, color pigment < 0.1 %			
Structure	Sorbent fill: Micro-fibrous meltblown polypropylene (2-10 micron diameters)			
	Outer covering: Spunbond polypropylene nonwoven (15-30 micron dia. fiber)			
Technology	Meltblown + Spunbond			
Absorbency	Hydrophilic + Oleophilic			
Intended Application	Non -Linting Chemical Resistant "Universal" Sorbent Pillow for Water Base,			
	Oil Base, or Solvent Base Liquids			

## **Packaging Description:**

Package configuration	1-Case	Pkg. Weight	4.5 kg (3.6 kg)
Items per Package	8-Pillows/Case	Pkg. Dimensions (approx.)	56.5 cm x 32 cm
			x 37 cm H
Container type	Carton		

## **Physical Properties;**

Parameter	SPC Test Method	Units	Nominal	(+/-)Tolerance
Pillow Weight	W.I.P.	kg	0.45	0.09
Absorbency ** (med.	SPCTM-012B	gL/gS	12.5	10-min.
oil)				
Color	Visual		White/gray with	per standard
			black logo	

The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped. \*\* The "Absorbency" Spec and "SPCTM012" test method is based on the protocol of ASTM F726, using SAE20 non-detergent as the Oil Type, medium viscosity.

Attributes	Product will be free of foreign material contamination, rips, holes, and tears.
Labeling	Each package to be clearly labeled with Company Name, Address, Item No.,
	Date, and/or Package Code (Bar Code).
Certification	Make no changes in basic process or composition without notifying customer.
	Claims for non-conformance of goods must be made within 60-days of delivery.

Brady Europe | Industriepark C3 Lindestraat 20 | B9240 Zele | Belgium | Tel: +32 52.45.7811 | Fax: +32 52.45.7812 www.bradyeurope.com