

GENERAL PRODUCT SPECIFICATION

Item No.	PU90]					
Date	16-6-2017	Replaces	7.11.2016	No. Pages	2		
Product Des	scription:						
Style		Drain Mat					
Item Size (each) 90 cm		90 cm x 90 cm	cm x 90 cm x 1.3 cm thick				
Color Yellov		Yellow	Tellow Tellow				
Structure		Chemically Resistant Flexible PU					

Intended Application	Drain seal to prevent spills from entering, resists water, oil and most aggressive
	chemicals.

n/a (**Hydrophobic** + Oleophobic)

Packaging Description:

Absorbency

Package configuration	Case	Pkg. Weight	12.3 kg (11.1 kg)
Items per Package	1 Mat/Case	Pkg. Dimensions	96 cm x 17 cm x
			18 cm
Container type	Carton		

Physical Properties;

<u>Parameter</u>	SPC Test Method	<u>Units</u>	<u>Nominal</u>	(+/-)Tolerance
Weight	Gravimetric	kg	9,7	0.45
Color	Visual		Yellow	per standard

The above properties are "nominal" values used for PROCESS CONTROL when the product is produced and/or inspected. Performance "nominals" may vary depending upon the specific application, and/or the environment being applied, stored, or shipped.

Attributes	Product will be free of foreign material contamination, rips, holes, and tears.			
Labeling Each package to be clearly labeled with Company Name, Address, Iter				
	Date, and/or Package Code (Bar Code).			
Certification	Make no changes in basic process or composition without notifying customer.			
	Claims for non-conformance of goods must be made within 60-days of delivery.			

CHEMICAL COMPATIBILITY FOR DRAIN COVERS, CONICAL DRAIN PLUGS AND FLEXIBLE BARRIERS

	GOOD BEHAVIOUR TO THIS CHEMICAL AGENTS	LITTLE SWELLING TO THIS CHEMICAL AGENTS	NOT COMPATIBLE
ACETONE			Х
ACETATE DE BUTYLE			Χ
ACETONITRILE		X	
ALUMINIUM SALTS	X		
AMMONIA ANHYDROUS	Х		
BARIUM SALTS	X		
BENZYLALCOHOL		X	
BORIC ACID	Х		
BUTANOL	Х		
CARBON DISULFIDE		Х	
CARBONATE DE SODIUM	Х		
DICHLOROMETHANE			X
DIETHYLAMINE		X	
DIMETHYLFORMAMIDE			Χ
ESSENCE C 5 %	Х		
ESSENCE E 5 %	Х		
ETHANOL			Χ
ETHYL ACETATE		Х	
FORMALDEHYDE	Х		
GAZOLINE	Х		
GLYCOL ETHER	х		
HEXANE	Х		
HYDROCHLORIC ACID 37 %			Х
HYDROFLUORIC ACID 48 %			Х
HYDROXYDE DE SODIUM 50 %	X		
JET FUEL (JP-5)	X		
KEROZENE	Х		
METHANOL	X		
METHYLETHYLCETONE			Χ
MINERAL OIL	Х		
NAPHTHA	Х		
N-EPHTANE		X	
NITRIC ACID			X
NITROBENZENE			X
PERCHLORURE DE FER	Х		
PHENOL			X
PHOSPHORIC ACID 10 %	х		
PROPYLENE GLYCOL	Х		
SODIUM HYDROXIDE	Х		
SOUDE 10 %		Х	
SULFURIC ACID 50 %			Х
SULFURIC ACID 98 %			Х
TETRAHYDROFURAN			Х
TOLUENE		Х	
TRICHLOROETHANE		Х	
TRICHLOROETHYLENE		Х	